## **EXHIBIT A**

## **Marked Claims Showing Amendments**

- 23. (Amended) A process for olefin polymerization comprising contacting [said] an olefin with a catalyst composition comprising (A) a solid catalyst component comprising a transition metal-containing metallocene compound, a transition metal-containing non-metallocene compound, a magnesium compound and a polymeric support material, and (B) a cocatalyst comprising an aluminum compound, said contacting occurring under conditions sufficient for the production of olefin polymers.
- 24. The process of Claim 23 wherein the olefin polymers comprise homopolymers of olefins or copolymers of olefins and alpha olefins.
  - 25. The process of Claim 24 wherein the olefin polymers are multimodal.
- 26. (Amended) A process for preparing an olefin polymerization catalyst composition [comprises] comprising combining support polymer particles, magnesium compound, transition metal-containing metallocene compound, and transition metal-containing non-metallocene compound, to provide a solid catalyst component, and combining the solid catalyst component with cocatalyst compound to provide an olefin polymerization catalyst composition.
- 27. The process of Claim 25 wherein the solid catalyst component is prepared in substantial absence of aluminum compound before combining with said cocatalyst compound.
- 28. The catalyst composition of Claim 23 wherein the metallocene compound is represented by the general formula (Cp)<sub>z</sub>MR<sub>w</sub>X<sub>y</sub> wherein Cp represents unsubstituted or substituted cyclopentadienyl ring, M represents a Group IVB or VB transition metal, R

represents a hydrocarbyl group containing 1 to 20 carbon atoms, X represents a halogen atom, and 1 < z < 3, 0 < w < 3, 0 < y < 3.

- 29. The catalyst composition of Claim 28 wherein the metallocene compound is bis(cyclopentadienyl)zirconium methyl chloride, bis(cyclopentadienyl)zirconium dichloride, bis(cyclopentadienyl)titanium methyl chloride or bis(cyclopentadienyl)titanium dichloride.
- 30. The process of claim 23 wherein the polymer particles have a mean particle diameter of 5  $\mu m$  to 1000  $\mu m$ , a pore volume of at least 0.1 cm<sup>3</sup>/g and a surface area of from 0.2 m<sup>2</sup>/g to 15 m<sup>2</sup>/g.
- 31. The process of Claim 30 wherein the polymer particles comprise polyolefins, polyvinylchloride, polyvinylalcohol or polycarbonate.
- 32. The process of Claim 31 wherein the polymer particles are polyvinylchloride.
- 33. The catalyst composition of Claim 32 wherein the polyvinylchloride particles are spherical in shape.
- 34. The process of claim 23 wherein the non-metallocene compound comprises titanium tetrachloride, zirconium tetrachloride and/or vanadium tetrachloride.
- 35. The process of Claim 34 wherein Ti and Zr are present in the composition in a molar ratio of Ti to Zr of about 3:1 to about 30:1.
- 36. The process of Claim 29 wherein the magnesium compound comprises diethylmagnesium, dibutylmagnesium, butylethylmagnesium, dihexylmagnesium, butyloctylmagnesium, ethylmagnesium chloride, butylmagnesium chloride, hexylmagnesium chloride or mixtures thereof.

- 37. The process of Claim 36 wherein the cocatalyst (B) aluminum compound is represented by the general formulas  $R_n^6 A1X_{3-n}$  and  $R^7R^8Al$ -O-Al $R_2^9$ , wherein  $R^6$ ,  $R^7$ ,  $R^8$  and  $R^9$  each independently represent a hydrocarbyl group having 1 to 10 carbon atoms; X represents a halogen atom and n represents a number satisfying 0 < n < 3.
- 38. The process of Claim 37 wherein the cocatalyst (B) aluminum compound comprises a mixture of trialkylaluminum and an alkyl alumoxane.
- 39. The process of Claim 26, wherein the metallocene compound is represented by the general formula  $(Cp)_zMR_wX_y$  wherein Cp represents unsubstituted or substituted cyclopentadienyl ring, M represents a Group IVB or VB transition metal, R represents a hydrocarbyl group containing 1 to 20 carbon atoms, X represents a halogen atom, and  $1 \le z \le 3$ ,  $0 \le w \le 3$ ,  $0 \le y \le 3$ .
- 40. The process of Claim 39 wherein the polymer particles have a mean particle diameter of 5  $\mu m$  to 1000  $\mu m$ , a pore volume of at least 0.1 cm<sup>3</sup>/g and a surface area of from 0.2 m<sup>2</sup>/g to 15 m<sup>2</sup>/g.
- 41. The process of Claim 40 wherein the polymer particles are comprised of polyvinylchloride and are spherical in shape.
- 42. The process of Claim 41, wherein the magnesium compound comprises diethylmagnesium, dibutylmagnesium, butylethylmagnesium, dihexylmagnesium, butyloctylmagnesium, ethylmagnesium chloride, butylmagnesium chloride, hexylmagnesium chloride or mixtures thereof.